

SAFETY DATA SHEET

Super Rainbow® Plant Food Tobacco Top Dresser

13-0-14

Section 1. Identification

GHS product identifier	: Super Rainbow® Plant Food Tobacco Top Dresser 13-0-14
Other means of identification	: Product code(s): I000031; I000032
Product type	: Granular solid.

Relevant identified uses of the substance or mixture and uses advised against

Identified uses	
Fertilizer.	
Uses advised against	Reason
Not applicable.	Non-hazardous product.

Supplier's details	: Rainbow Fertilizer LLC (a Division of Timac Agro USA)		
	1011 Oak Avenue Americus, GA 31709		
	Company phone number: 1-800-403-2861 (Customer Service)		
	www.rainbowplantfoodproducts.com		
Emergency telephone number (with hours of operation)	: USA POISON CONTROL CENTER (24h/7d) 1-800-222-1222		

Section 2. Hazards identification	
: This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).	
: SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2B	
: Not Applicable.	
No Aplicable.	
Non applicable.	
: Warning	
: Causes eye irritation.	
: Read label before use. Keep out of reach of children. If medical advice is needed, have product container or label at hand.	

Section 2. Hazards identification

Prevention	Wear eye or face protection. Wash hands and face before breaks and immediately after handling the product.	
Response	 Rinse cautiously with water for several minutes. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention. 	
Storage	: Not applicable.	
Disposal	: Not applicable.	
Hazards not otherwise classified: Handling and/or processing of this material may generate a dust which can cause mechanical irritation of the eyes, skin, nose and throat.		

Section 3. Composition/information on ingredients

Substance/mixture

: Multi-constituent substance

CAS number/other identifiers

CAS number : Not available.			
Ingredient name	%	CAS number	
Ammonium sulfate	34 - 44	7783-20-2	
Potassium magnesium sulfate	27	14977-37-8	
Potassium nitrate	17	7757-79-1	
Ammonium nitrate	4.7	6484-52-2	
Calcium sulfate, dihydrate	4	10101-41-4	
Ammonium dihydrogen orthophosphate	2	7722-76-1	
Potassium chloride	1 - 2	7447-40-7	

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures		
Eye contact	: Causes eye irritation. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. If irritation persists, get medical attention.	
Inhalation	: Non-hazardous in case of inhalation. No known significant effects or critical hazards. Get medical attention if symptoms occur. In a fire, hazardous decomposition products may be produced. If any ill effects are felt, proceed as follows. If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. For additional advice call the medical emergency number on this SDS or your poison center or doctor.	
Skin contact	: No known effect after skin contact. Rinse with water for a few minutes.	
Ingestion	: Ingestion may cause gastrointestinal irritation and diarrhea. Wash out mouth with water. Never give anything by mouth to an unconscious person. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. For additional advice call the medical emergency number on this SDS or your poison center or doctor.	

Most important symptoms/effects, acute and delayed Potential acute health effects Eye contact : Causes eye irritation. : Exposure to airborne concentrations above statutory or recommended exposure limits Inhalation may cause irritation of the nose, throat and lungs. **Skin contact** : No known significant effects or critical hazards. : May cause irritation of the digestive tract with accompanying nausea, vomiting and Ingestion diarrhea. **Over-exposure signs/symptoms** Date of issue/Date of revision : 1/10/2022 : 5/6/2019 2/12 Version :1.8 Date of previous issue

Section 4. First aid measures

Eye contact	: Adverse symptoms may include the following: irritation watering redness
Inhalation	: Adverse symptoms may include the following: respiratory tract irritation coughing
Skin contact	: No specific data.
Ingestion	: No specific data. May cause irritation of the digestive tract with accompanying nausea, vomiting and diarrhea.
Indication of immediate med	dical attention and special treatment needed, if necessary
Notes to physician	: In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments	: No specific treatment. Treat symptomatically.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. Depending on the situation, the rescuer should wear an appropriate mask, gloves, protective clothing and a respirator or self-contained breathing apparatus. Mouth-to- mouth resuscitation of oral exposure patients is not recommended. First-aiders with contaminated clothing should be properly decontaminated.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
Specific hazards arising from the chemical	: No specific fire or explosion hazard. The substance will not burn. Undergoes thermal decomposition at elevated temperatures to release toxic and flammable gases.
Hazardous thermal decomposition products	: Decomposition products may include the following materials: nitrogen oxides sulfur oxides
Special protective actions for fire-fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
Remark	: Contain and collect the water used to fight the fire for later treatment and disposal.

Section 6. Accidental release measures

Personal precautions, protect	ive equipment and emergency procedures
For non-emergency personnel	: No action shall be taken involving any personal risk or without suitable training. Keep unnecessary and unprotected personnel from entering. Avoid breathing dust. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	: If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

Section 6. Accidental release measures

: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Will dissolve and disperse in water. Reclaiming material may not be possible. If possible, recover spilled product and place in suitable containers for recycle, reuse, or disposal. Product will promote algae growth and may degrade water quality and taste. Notify downstream water users. Inform the relevant authorities if the product has caused adverse impacts (sewers, waterways, soil or air).
ntainment and cleaning up
 Move containers from spill area. Avoid dust generation. Recycle, if possible. or Place spilled material in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
: Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Avoid dust generation. Avoid creating dusty conditions and prevent wind dispersal. Recycle to process, if possible. or Place spilled material in an appropriate container for disposal. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

r recautions for sale nanaling		
Protective measures	Put on appropriate personal protective equipment (see Section 8). Do not inge contact with eyes, skin and clothing. Avoid breathing dust.	st. Avoid
Advice on general occupational hygiene	Eating, drinking and smoking should be prohibited in areas where this material handled, stored and processed. Workers should wash hands and face before a drinking and smoking. Remove contaminated clothing and protective equipment entering eating areas. See also Section 8 for additional information on hygiene measures.	eating, nt before
Conditions for safe storage, including any incompatibilities	Store in accordance with local regulations. May form steep piles that can collar without warning when stored in bulk. Avoid forming steep slopes when removir product. Ensure that bulk bags or smaller packaged products stored in tiers ar stacked, racked, blocked, interlocked, or otherwise secured to prevent sliding, r collapse. Use caution when opening truck or railcar doors as product may have during transport.	ng re rolling, or
	Must be stored in a dry location. Absorbs moisture on long-term storage under humidity conditions. Store away from incompatible materials (see Section 10). product is stored in sealable containers, keep container tightly closed and seale ready for use. Sealable containers that have been opened must be carefully re and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. Refer to NFPA 400 Hazardous Materials Code for further information on the sat and handling of hazardous materials.	When ed until esealed

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits					
Ammonium sulfate	OSHA (United States): Particulates not otherwise regulated (PNOR) TWA (8 hours), Total dust: 15 mg/m ³ ; Respirable fraction: 5 mg/m ³ .					
Potassium magnesium sulfate	OSHA (United States): Particulates not otherwise regulated (PNOR) TWA (8 hours), Total dust: 15 mg/m ³ ; Respirable fraction: 5 mg/m ³ .					
Potassium nitrate	OSHA (United S Particulates not TWA (8 hours), Respirable fracti	otherwise regu Total dust: 15 r	``)R)		
Ammonium nitrate		OSHA (United S	States):			
Pate of issue/Date of revision : 1/10/2022	Date of previous issue	: 5/6/2019	Version	:1.8	4/12	

Section 8. Exposure controls/personal protection

	Particulates not otherwise regulated (PNOR) TWA (8 hours), Total dust: 15 mg/m³; Respirable fraction: 5 mg/m³.
Calcium sulfate, dihydrate	ACGIH TLV (United States, 4/2014). TWA: 10 mg/m ³ 8 hours. Form: Inhalable fraction
Ammonium dihydrogen orthophosphate	OSHA (United States): Particulates not otherwise regulated (PNOR) TWA (8 hours), Total dust: 15 mg/m ³ ; Respirable fraction: 5 mg/m ³ .
Potassium chloride	OSHA (United States): Particulates not otherwise regulated (PNOR) TWA (8 hours), Total dust: 15 mg/m ³ ; Respirable fraction: 5 mg/m ³ .

Appropriate engineering controls	: Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.
Environmental experies	Emissions from ventilation or work process againment should be shocked to ansure they

Environmental exposure	: Emissions from ventilation or work process equipment should be checked to ensure they
controls	comply with the requirements of environmental protection legislation. In some cases,
	fume scrubbers, filters or engineering modifications to the process equipment will be
	necessary to reduce emissions to acceptable levels.

Individual protection measure		
Hygiene measures	ash hands, forearms and face thoroughly after handling chemical products, be ating, smoking and using the lavatory and at the end of the working period. Wa ontaminated clothing before reusing.	
Eye/face protection	afety eyewear complying with an approved standard should be used when a ris assessment indicates this is necessary to avoid exposure to liquid splashes, mis ases or dusts. If contact is possible, the following protection should be worn, un assessment indicates a higher degree of protection: safety glasses with side-shi berating conditions cause high dust concentrations to be produced, use dust go	ts, nless the ields. If
Skin protection		
Hand protection	ne personal protective equipment required varies, depending upon your risk ssessment. No special protection is required. For prolonged or repeated hand e following type of gloves: leather work gloves	ling, use
Body protection	ersonal protective equipment for the body should be selected based on the tast erformed and the risks involved and should be approved by a specialist before is product. Cotton or cotton/synthetic overalls or coveralls are normally suitable	handling
Other skin protection	opropriate footwear and any additional skin protection measures should be sele ased on the task being performed and the risks involved and should be approve becialist before handling this product. No special measures are typically indicated	ed by a
Respiratory protection	respirator is not needed under normal and intended conditions of product use. operly fitted, particulate filter respirator complying with an approved standard if seessment indicates this is necessary. Respirator selection must be based on anticipated exposure levels, the hazards of the product and the safe working I e selected respirator. Contact your personal protective equipment manufacture erify the compatibility of the equipment for the intended purpose. For U.S. work here respiratory protection is required, ensure that a respiratory protection prog- eeting 29 CFR 1910.134 requirements is in place.	f a risk known imits of er to < sites

Section 9. Physical and chemical properties

Appearance	
Physical state	: Granular solid.
Color	: Gray.
Odor	: Odorless.
Odor threshold	: Not applicable.
рН	: 6 [Conc. (% w/w): 10%]
Melting point	: Not available.
Boiling point	: Decomposes.

Date of issue/Date of revision

Section 9. Physical and chemical properties

•		
Flash point	1	[Product does not sustain combustion.]
Evaporation rate	1	Not applicable.
Flammability (solid, gas)	1	Not applicable. The substance will not burn. Undergoes thermal decomposition at elevated temperatures to release toxic and flammable gases.
Lower and upper explosive (flammable) limits	1	Not applicable.
Vapor pressure	1	Not applicable.
Vapor density	1	Not applicable.
Relative density	1	Not available.
Solubility	1	Easily soluble in the following materials: hot water. Soluble in the following materials: cold water.
Solubility in water	1	Water soluble.
Partition coefficient: n- octanol/water	1	Not available.
Auto-ignition temperature	1	Not applicable.
Decomposition temperature	1	Not available.
Viscosity	1	Not applicable.
Aerosol product		

Section 10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: Absorbs moisture on long-term storage under high humidity conditions. Store in a well- ventilated, dry place. Protect from moisture.
Incompatible materials	: Incompatible with halogens. Incompatible with copper alloys. Contact your sales representative or a metallurgical specialist to ensure compatability with your equipment.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Potassium chloride	LD50 Oral	Rat	2600 mg/kg	-
Calcium sulfate, dihydrate	LC50 Inhalation Dusts and mists	Rat - Male, Female	>3.26 mg/l CaSO4.2H2O	4 hours
	LD50 Oral	Rat - Male, Female	>1581 mg/kg	-
Ammonium sulfate	LD50 Oral	Mouse - Male, Female	3040 mg/kg	-
	LD50 Oral	Rat	2840 mg/kg	-
	LD50 Oral	Rat - Male, Female	>2000 mg/kg	-
Potassium magnesium sulfate	LD50 Oral	Rat	3 g/kg	-
Ammonium dihydrogen orthophosphate	LD50 Oral	Rat - Male, Female	>2000 mg/kg	-

Conclusion/Summary : Very low toxicity to humans or animals. No known significant effects or critical hazards. <u>Irritation/Corrosion</u>

Section 11. Toxicological information

Product/ingredient name	Result			Spec	ies	Score	Expo	sure	Ob	servation
Potassium chloride	Eyes			Rabb	it	0		ours 500	-	
Ammonium sulfate	Skin		Rabb		0	millig 20 ho			hours hours	
Sodium chloride	Eyes Eyes		Rabb Rabb		0 0	-		-	nours	
Conclusion/Summary				1.000		Ů				
Skin	: No knowr	a significa	nt off	octs or cr	itical haz	arde				
Eyes	: No knowr	•								
Respiratory	: No knowr	•								
Sensitization	. No know	r signinee				ulus.				
	Devete of		0				Descrit			
Product/ingredient name	Route of exposure		Speci	es			Result			
Ammonium sulfate	skin	(Guine	a pig			Not sensitiz	zing		
Conclusion/Summary	1						I			
Skin	: Non-sens	sitizer.								
Respiratory	: No knowr	n significa	ant eff	ects or cr	itical haz	ards.				
lutagenicity		U		-						
Product/ingredient name	Test			Experin	nent			Result	•	
Potassium chloride	-				nent: In v	ivo		Negati		
orassium chionue	-			Subject	Mamma	alian-Anir	mal	rvegati	ve	
Ammonium sulfate	OECD 476		Cell: Somatic Experiment: In vitro Subject: Mammalian-Anin			Negative				
	OECD 473			Experim Subject	Cell: Somatic Experiment: In vitro Subject: Mammalian-Animal Cell: Germ			Negative		
Conclusion/Summary	: No knowr	n significa	ant eff	ects or cr	itical haz	ards.				
Carcinogenicity										
Product/ingredient name	Result			s	pecies		Dose		Expo	sure
Potassium chloride	Negative -	Oral - TC			at - Male	<u> </u>	1820 mg/kg			
Ammonium sulfate	Negative -			R	Rat - Male, Female		1288 mg/kg		2 yea oer w	rs; 7 days eek
Sodium chloride	Negative -	Oral - TD)Lo		at - Male	•	-		-	
Conclusion/Summary	: No knowr ingested.				itical haz	ards. Po	tential for ni	trosamin	e forr	mation if
Classification	-		-							
Product/ingredient name	OSHA	IARC	NT	P						
Ammonium sulfate	None.	-	-							
Reproductive toxicity						1				
Product/ingredient name	Maternal toxicity	Fertilit	ÿ	Develo toxin	oment	Specie	5	Dose		Exposure
Ammonium sulfate	Negative Negative			-	Mouse Female		Male,	Oral: 5000 r kg	ng/	-
Conclusion/Summary	: No knowr	l 1 significs	nt off	l ects or cr	itical har	l ards		9		
eratogenicity										
Product/ingredient name	Result			S	pecies		Dose		Expo	sure
Ammonium sulfate	Negative - Oral				-		1500 mg/kg -		-	
					emale					
Conclusion/Summary	: No knowr	n significa	ant eff			ards.				

Section 11. Toxicological information

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on the likely	÷	Routes of entry anticipated: Inhalation.
routes of exposure		

Potential acute health effects

Eye contact	: Causes eye irritation.
Inhalation	: Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the nose, throat and lungs.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: May cause irritation of the digestive tract with accompanying nausea, vomiting and diarrhea.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact	: Adverse symptoms may include the following: irritation watering redness
Inhalation	: Adverse symptoms may include the following: respiratory tract irritation coughing
Skin contact	: No specific data.
Ingestion	: No specific data. May cause irritation of the digestive tract with accompanying nausea, vomiting and diarrhea.

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure	
Potential immediate effects	: May interfere with the oxygen carrying capacity of the blood if ingested in large quantities or over a prolonged period of time. Persons with anemia, bowel diseases, or infants, are more likely to develop effects. Over-exposure by ingestion is unlikely under normal working conditions.
Potential delayed effects	: Not available.
Long term exposure	
Potential immediate effects	: Not available.
Potential delayed effects	: Potential for nitrosamine formation if ingested. Do not ingest.

Potential chronic health effects

Product/ingredient name	Result	Species	Dose	Exposure
Potassium chloride	Chronic NOAEL Oral	Rat - Male	1820 mg/kg	-
Ammonium sulfate	Chronic NOAEL Oral	Rat - Male, Female	256 mg/kg	52 weeks; 7 days
Sodium chloride	Chronic LOEL Oral	Rat - Male	2533 mg/kg	per week 2 years
Conclusion/Summary	: No known significant effects or	critical hazards.	•	
General	: No known significant effects or	critical hazards.		
Carcinogenicity	 No known significant effects or critical hazards. Potential for nitrosamine formation if ingested. Do not ingest. 			
Mutagenicity	: No known significant effects or critical hazards.			
Teratogenicity	: No known significant effects or	critical hazards.		
Developmental effects	: No known significant effects or critical hazards.			
Fertility effects	: No known significant effects or critical hazards.			

Numerical measures of toxicity

Date of issue/Date of revision

Section 11. Toxicological information

Acute toxicity estimates

Route

Oral

Inhalation (dusts and mists)

ATE value 2625.7 mg/kg 37.5 mg/l

Section 12. Ecological information

<u>Toxicity</u>			
Product/ingredient name	Result	Species	Exposure
Potassium chloride	Acute EC50 1337000 µg/l Fresh water	Algae - Navicula seminulum	96 hours
	Acute EC50 9.24 g/L Fresh water	Algae - Desmodesmus subspicatus	72 hours
	Acute EC50 83000 µg/l Fresh water	Daphnia - Daphnia magna	48 hours
	Acute LC50 9.68 mg/l Fresh water	Crustaceans - Pseudosida ramosa - Neonate	48 hours
	Acute LC50 435000 µg/l Fresh water	Fish - Gambusia affinis - Adult	96 hours
Ammonium sulfate	Acute LC50 2.6 mg/l Fresh water	Crustaceans - Ceriodaphnia dubia - Young	48 hours
	Acute LC50 53 mg/l	Fish - Oncorhynchus mykis	96 hours
	Chronic NOEC 143 µg/l Marine water	Fish - Salmo salar - Post-smolt	5 weeks
Sodium chloride	Acute EC50 2430000 µg/l Fresh water	Algae - Navicula seminulum	96 hours
	Acute EC50 28.85 mg/dm3 Fresh water	Algae - Pseudokirchneriella subcapitata	72 hours
	Acute EC50 519.6 mg/I Fresh water	Crustaceans - Cypris subglobosa	48 hours
	Acute IC50 6.87 g/L Fresh water	Aquatic plants - Lemna minor	96 hours
	Acute LC50 1661 mg/l Fresh water	Daphnia - Daphnia magna	48 hours
	Acute LC50 1000000 µg/l Fresh water	Fish - Morone saxatilis - Larvae	96 hours
	Chronic LC10 781 mg/l Fresh water	Crustaceans - Hyalella azteca - Juvenile (Fledgling, Hatchling, Weanling)	3 weeks
	Chronic NOEC 6 g/L Fresh water	Aquatic plants - Lemna minor	96 hours
	Chronic NOEC 0.314 g/L Fresh water	Daphnia - Daphnia pulex	21 days
	Chronic NOEC 100 mg/l Fresh water	Fish - Gambusia holbrooki - Adult	8 weeks

Conclusion/Summary

: Practically non-toxic to aquatic organisms.

Persistence and degradability

Not available.

Bioaccumulative potential

Not available.

Mobility in soil		
Soil/water partition coefficient (Koc)	: Not available.	
Mobility	: Not available.	

Other adverse effects

Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste packaging should be recycled. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

: No known significant effects or critical hazards.

Section 14. Transport information

Section 14. Transport information						
	DOT Classification	TDG Classification	Mexico Classification	ADR/RID	IMDG	ΙΑΤΑ
UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-	-	-	-
Transport hazard class(es)	-	-	-	-	-	-
Packing group	-	-	-	-	-	-
Environmental hazards	No.	No.	No.	No.	No.	No.
Additional information	-	-	-	-	-	-

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Section 15. Regulatory information

J.S. Federal Regulations:	: T	SCA 8(a) CDR Ex	empt/Parti	al exemption	: Not	determir	ned		
	Т	SCA 8(b) Active in	nventory::	All compone	nts ar	e listed	or exempt	ed.	
Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs)	: N	lot listed							
Clean Air Act Section 602 Class I Substances	: N	lot listed							
Clean Air Act Section 602 Class II Substances	: N	lot listed							
DEA List I Chemicals (Precursor Chemicals)	: N	lot listed							
DEA List II Chemicals (Essential Chemicals)	: N	lot listed							
SARA 304 RQ <u>SARA 311/312</u>	: N	lot applicable.							
Classification	: N	lot applicable.							
Composition/information of	on ing	gredients							
Name		%	Fire hazard	Sudden release of pressure	Rea	active	Immed (acute) health hazard		Delayed (chronic) health hazard.
Potassium nitrate Ammonium nitrate		17 4.7	Yes. Yes.	No. No.	No. No.		No. Yes.		Yes. No.
SARA 313		•	•	•			•		•
	Pro	oduct name				CAS n	umber	%	
	٨m	monium culfato				7792 20	1 2	24	11

FUILI K - Kebululu	7783-20-2 7722-76-1	34 - 44 2
	7783-20-2 7722-76-1	34 - 44 2

Date of issue/Date of revision

Section 15. Regulatory information

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations	
Massachusetts	: The following components are listed: Ammonium sulfate; Potassium nitrate; Ammonium nitrate
New York	: None of the components are listed.
New Jersey	 The following components are listed: Potassium nitrate; Nitric acid, potassium salt; Ammonium nitrate; Nitric acid, ammonium salt
Pennsylvania	 The following components are listed: Sulfuric acid diammonium salt; Nitric acid, potassium salt; Nitric acid, ammonium salt
California Prop. 65	

Not applicable – This product is not registered for sale into the State of California and has not been evaluated for Prop 65 notification requirements.

International regulations

International lists	
National inventory	
Canada	: All components are listed or exempted.
Europe	: Not determined.

Section 16. Other information

<u>History</u>	
Date of issue/Date of revision	: 1/10/2022
Date of previous issue	: 5/6/2019
Version	: 1.8
Key to abbreviations	: ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = International Air Transport Association IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations
References	 Transportation of Dangerous Goods Act and Clear Language Regulations, current edition at time of SDS preparation, Transport Canada; Hazardous Products Act and Regulations, current revision at time of SDS preparation, Health Canada; Domestic Substances List, current revision at time of SDS preparation, Environment Canada; 29 CFR Part 1910, current revision at time of SDS preparation, U.S. Occupational Safety and Health Administration; 40 CFR Parts 1-799, current revision at time of SDS preparation, U.S. Environmental Protection Agency; 49 CFR Parts 1-199, current revision at time of SDS preparation, U.S. Department of Transport; Mexican Official Standard NOM-018-STPS-2015, Harmonised System for the Identification and Communication of Hazards and Risks by Hazardous Chemicals in the Workplace; NORMA Oficial Mexicana NOM-010-STPS-2014, Agentes químicos contaminantes del ambiente laboral-Reconocimiento, evaluación y control. Mexican Official Standard NOM-002-SCT / 2011, List of the most commonly transported hazardous substances and materials; Threshold Limit Values for Chemical Substances, current edition at time of SDS preparation, current edition at time of SDS preparation, Current edition at time of SDS preparation, SDS preparation, Current edition at time of SDS preparation;

Section 16. Other information

Engineers;

ERG 2016, Emergency Response Guidebook, U.S. Department of Transport, Transport Canada, and the Secretariat of Transportation and Communications of Mexico Hazardous Substances Data Bank, current revision at time of SDS preparation, National Library of Medicine, Bethesda, Maryland Integrated Risk Information System, current revision at time of SDS preparation, U.S. Environmental Protection Agency, Washington, D.C. Pocket Guide to Chemical Hazards, current revision at time of SDS preparation, National Institute for Occupational Safety and Health, Cincinnati, Ohio ; Agency for Toxic Substances and Disease Registry Databank, current revision at time of SDS preparation, U.S. Department of Health and Human Services, Atlanta, Georgia National Toxicology Program, Report on Carcinogens, Division of the National Institute of Environmental Health Sciences, Research Triangle Park, North Carolina. Registry of Toxic Effects of Chemical Substances. National Institute for Occupational Safety and Health, Cincinnati, Ohio California Code of Regulations, Title 27, Div 4, Chapter 1, Proposition 65 Aug 30, 2018 rev and current updates

Indicates information that has changed from previously issued version.

Notice to reader

The information and recommendations contained in this Safety Data Sheet ("SDS") relate only to the specific material referred to herein (the "Material") and do not relate to the use of such Material in combination with any other material or process. The information and recommendations contained herein are believed to be current and correct as of the date of this SDS. HOWEVER, THE INFORMATION AND RECOMMENDATIONS ARE PRESENTED WITHOUT WARRANTY, REPRESENTATION OR LICENSE OF ANY KIND, EXPRESS OR IMPLIED, WITH RESPECT TO THEIR ACCURACY, CORRECTNESS OR COMPLETENESS, AND THE SELLER, SUPPLIER AND MANUFACTURER OF THE MATERIAL AND THEIR RESPECTIVE AFFILIATES (COLLECTIVELY, THE "SUPPLIER") DISCLAIM ALL LIABILITY FOR RELIANCE ON SUCH INFORMATION AND RECOMMENDATIONS. This SDS is not a guarantee of safety. A buyer or user of the Material (a "Recipient") is responsible for ensuring that it has all current information necessary to safely use the Material for its specific purpose. FURTHERMORE, THE RECIPIENT ASSUMES ALL RISK IN CONNECTION WITH THE USE OF THE MATERIAL. THE RECIPIENT ASSUMES ALL RESPONSIBILITY FOR ENSURING THE MATERIAL IS USED IN A SAFE MANNER IN COMPLIANCE WITH APPLICABLE ENVIRONMENTAL, HEALTH, SAFETY AND SECURITY LAWS, POLICIES AND GUIDELINES. THE SUPPLIER DOES NOT WARRANT THE MERCHANTABILITY OF THE MATERIAL OR THE FITNESS OF THE MATERIAL FOR ANY PARTICULAR USE AND ASSUMES NO RESPONSIBILITY FOR INJURY OR DAMAGE CAUSED DIRECTLY OR INDIRECTLY BY OR RELATED TO THE USE OF THE MATERIAL.