


### Section 1. Identification

**GHS product identifier** : Rainbow® Plant Food Tobacco 8-16-24, Americus  
**Other means of identification** : Product code(s): I000113; I000114; I000115  
**Product type** : Granular solid.

Relevant identified uses of the substance or mixture and uses advised against

Identified uses	
Fertilizer.	
Uses advised against	Reason
Not applicable.	Risk assessment.

**Supplier's details** :  Rainbow Fertilizer LLC ( a Division of Timac Agro USA)  
 1011 Oak Avenue  
 Americus, GA 31709  
  
 Company phone number:  
 1-800-403-2861 (Customer Service)  
  
 www.rainbowplantfoodproducts.com

**Emergency telephone number (with hours of operation)** :  USA POISON CONTROL CENTER (24h/7d)  
 1-800-222-1222

### Section 2. Hazards identification

**OSHA/HCS status** : This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

**Classification of the substance or mixture** : EYE IRRITATION - Category 2A

GHS label elements

**Hazard pictograms** :



**Signal word** : Warning

**Hazard statements** : Causes serious eye irritation.

Precautionary statements

**General** : Read label before use. Keep out of reach of children. If medical advice is needed, have product container or label at hand.

**Prevention** : Wear eye or face protection. Wash hands thoroughly after handling.

**Response** : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.

## Section 2. Hazards identification

- Storage** : Not applicable.
- Disposal** : Not applicable.
- Hazards not otherwise classified** : Handling and/or processing of this material may generate a dust which can cause mechanical irritation of the eyes, skin, nose and throat.

## Section 3. Composition/information on ingredients

- Substance/mixture** : Multi-constituent substance

### CAS number/other identifiers

- CAS number** : Not available.

Ingredient name	%	CAS number
Potassium nitrate	28 - 29	7757-79-1
Ammonium dihydrogen orthophosphate	20 - 28	7722-76-1
Potassium sulfate	17 - 19	7778-80-5
Potassium magnesium sulfate	14	14977-37-8
Calcium bis(dihydrogenorthophosphate)	4 - 5	7758-23-8
Ammonium nitrate	2 - 3	6484-52-2
Ulexite	< 0.4	1319-33-1
Ammonium sulfate	0 - 5	7783-20-2
Manganese bis dihydrogen phosphate	0 - 0.5	18718-07-5
Zinc bis(dihydrogen phosphate)	0 - 0.4	13598-37-3
Manganese oxide	0 - 0.25	1344-43-0

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

**There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.**

Occupational exposure limits, if available, are listed in Section 8.

## Section 4. First aid measures

### Description of necessary first aid measures

- Eye contact** : Causes eye irritation. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. If irritation persists, get medical attention.
- Inhalation** : Non-hazardous in case of inhalation. No known significant effects or critical hazards. Get medical attention if symptoms occur.  
In a fire, hazardous decomposition products may be produced. If any ill effects are felt, proceed as follows. If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. For additional advice call the medical emergency number on this SDS or your poison center or doctor.
- Skin contact** : No known effect after skin contact. Rinse with water for a few minutes.
- Ingestion** : Nitrate based product. May be irritating to mouth, throat and stomach. May cause methemoglobinemia (a condition that interferes with the oxygen-carrying capacity of the blood) if ingested in large quantities or over a prolonged period of time. Oral exposures: if the affected person requires CPR, avoid mouth to mouth contact. Do not induce vomiting. If vomiting occurs, attempt to keep head lower than chest so that vomit does not enter the lungs. Wash (decontaminate) face and mouth with water to remove visible material. If the exposed person is conscious and can swallow, give 1-2 sips of water. Do not give anything else by mouth. Loosen tight clothing such as collar, tie, belt or waistband to prevent any breathing restrictions. Call for emergency transportation to a hospital if the exposed person feels sick or has breathing difficulties, or a large amount is suspected ingested. For additional advice, call the medical emergency number on this SDS or your poison center or doctor.

### Most important symptoms/effects, acute and delayed

#### Potential acute health effects

- Eye contact** : Causes eye irritation.
- Inhalation** : Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the nose, throat and lungs.

## Section 4. First aid measures

- Skin contact** : No known significant effects or critical hazards.
- Ingestion** : May be irritating to the digestive tract. May cause nausea, vomiting, diarrhea, and abdominal pain. May cause methemoglobinemia (a condition that interferes with the oxygen-carrying capacity of the blood) if ingested in large quantities or over a prolonged period of time. Persons with methemoglobinemia may have blue tinge color to lips, nails, and skin. Also they may have shortness of breath or trouble breathing. Persons more susceptible to methemoglobinemia include: very young (less than 3 months), the elderly, those with chronic obstructive pulmonary disease (COPD), anemia, coronary artery disease, recent surgery or infection, and those with a genetic deficiency of G-6-PD.

### Over-exposure signs/symptoms

- Eye contact** : Adverse symptoms may include the following:  
irritation  
watering  
redness
- Inhalation** : Adverse symptoms may include the following:  
respiratory tract irritation  
coughing
- Skin contact** : No specific data.
- Ingestion** : May cause irritation of the digestive tract with accompanying nausea, vomiting and diarrhea.

### Indication of immediate medical attention and special treatment needed, if necessary

- Notes to physician** : In case of inhalation of decomposition products (carbon monoxide, carbon dioxide, nitrogen oxides) in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for up to 72 hours. In cases of suspected methemoglobinemia, monitor methemoglobin blood levels. Treatment is supportive; methylene blue may be indicated based on patient severity.

- Specific treatments** : Call the medical emergency number on this SDS or your poison center or doctor immediately if large quantities have been ingested. In cases of suspected methemoglobinemia, methylene blue may be indicated based on patient severity.

- Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training. Mouth-to-mouth resuscitation of oral exposure patients is not recommended. First-aiders with contaminated clothing should be properly decontaminated.

See toxicological information (Section 11)

## Section 5. Fire-fighting measures

### Extinguishing media

- Suitable extinguishing media** : Non-flammable. Material will not burn. The product acts as an oxidizing agent, and supports combustion by liberating oxygen even if smothered. Flood fire area with water from a distance.
- Unsuitable extinguishing media** : Do not attempt to smother the fire.

- Specific hazards arising from the chemical** : The substance will not burn. Undergoes thermal decomposition at elevated temperatures to release toxic and flammable gases. Contains an oxidizing substance. May intensify fire.

- Hazardous thermal decomposition products** : Decomposition products may include the following materials:  
nitrogen oxides  
sulfur oxides

- Special protective actions for fire-fighters** : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

- Special protective equipment for fire-fighters** : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

- Remark** : Contain and collect the water used to fight the fire for later treatment and disposal.

- Remark** : Fight fire from protected location or maximum possible distance.

## Section 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

- For non-emergency personnel** : No action shall be taken involving any personal risk or without suitable training. Keep unnecessary and unprotected personnel from entering. Avoid breathing dust. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
- For emergency responders** : If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

- Environmental precautions** : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Will dissolve and disperse in water. Reclaiming material may not be possible. If possible, recover spilled product and place in suitable containers for recycle, reuse, or disposal. Product will promote algae growth and may degrade water quality and taste. Notify downstream water users. Inform the relevant authorities if the product has caused adverse impacts (sewers, waterways, soil or air).

### Methods and materials for containment and cleaning up

- Small spill** : Put on appropriate personal protective equipment (see Section 8). Move containers from spill area. Avoid dust generation. Recycle, if possible.  
or  
Place spilled material in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
- Large spill** : Put on appropriate personal protective equipment (see Section 8). Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Avoid dust generation. Avoid creating dusty conditions and prevent wind dispersal. Recycle to process, if possible.  
or  
Place spilled material in an appropriate container for disposal. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

## Section 7. Handling and storage

### Precautions for safe handling

- Protective measures** : Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing dust.
- Advice on general occupational hygiene** : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

- Conditions for safe storage, including any incompatibilities** : Store in accordance with local regulations. May form steep piles that can collapse without warning when stored in bulk. Avoid forming steep slopes when removing product. Ensure that bulk bags or smaller packaged products stored in tiers are stacked, racked, blocked, interlocked, or otherwise secured to prevent sliding, rolling, or collapse. Use caution when opening truck or railcar doors as product may have shifted during transport.

Must be stored in a dry location. Absorbs moisture on long-term storage under high humidity conditions. Store away from incompatible materials (see Section 10). When product is stored in sealable containers, keep container tightly closed and sealed until ready for use. Sealable containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. Refer to NFPA 400 Hazardous Materials Code for further information on the safe storage and handling of hazardous materials.

## Section 8. Exposure controls/personal protection

### Control parameters

#### Occupational exposure limits

Ingredient name	Exposure limits
<p><b>U.S. Federal Regulations:</b></p> <p>Potassium nitrate            Ammonium dihydrogen orthophosphate            Potassium sulfate            Potassium magnesium sulfate            Ammonium sulfate            Ammonium nitrate            Calcium bis(dihydrogenorthophosphate)            Ulexite            Zinc bis(dihydrogen phosphate)</p> <p>Manganese bis dihydrogen phosphate</p> <p>Manganese oxide</p>	<p><b>OSHA (United States):</b>            Particulates not otherwise regulated (PNOR)            TWA (8 hours), Total dust: 15 mg/m<sup>3</sup>;            Respirable fraction: 5 mg/m<sup>3</sup>.</p> <p><b>OSHA PEL 1989 (United States, 3/1989).</b>            CEIL: 5 mg/m<sup>3</sup>, (as Mn)</p> <p><b>NIOSH REL (United States, 10/2013).</b>            TWA: 1 mg/m<sup>3</sup>, (as Mn) 10 hours. Form:            Fume            STEL: 3 mg/m<sup>3</sup>, (as Mn) 15 minutes. Form:            Fume</p> <p><b>OSHA PEL (United States, 2/2013).</b>            CEIL: 5 mg/m<sup>3</sup>, (as Mn)</p> <p><b>ACGIH TLV (United States, 4/2014).</b>            TWA: 0.1 mg/m<sup>3</sup>, (as Mn) 8 hours. Form:            Inhalable fraction            TWA: 0.02 mg/m<sup>3</sup>, (as Mn) 8 hours. Form:            Respirable fraction</p> <p><b>OSHA PEL 1989 (United States, 3/1989).</b>            CEIL: 5 mg/m<sup>3</sup>, (as Mn)</p> <p><b>NIOSH REL (United States, 10/2013).</b>            TWA: 1 mg/m<sup>3</sup>, (as Mn) 10 hours. Form:            Fume            STEL: 3 mg/m<sup>3</sup>, (as Mn) 15 minutes. Form:            Fume</p> <p><b>ACGIH TLV (United States, 4/2014).</b>            TWA: 0.1 mg/m<sup>3</sup>, (as Mn) 8 hours. Form:            Inhalable fraction            TWA: 0.02 mg/m<sup>3</sup>, (as Mn) 8 hours. Form:            Respirable fraction</p> <p><b>OSHA PEL (United States, 2/2013).</b>            CEIL: 5 mg/m<sup>3</sup>, (as Mn)</p>

**Appropriate engineering controls** : Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

**Environmental exposure controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

### Individual protection measures

**Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

**Eye/face protection** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If operating conditions cause high dust concentrations to be produced, use dust goggles.

## Section 8. Exposure controls/personal protection

### Skin protection

- Hand protection** : The personal protective equipment required varies, depending upon your risk assessment. No special protection is required. For prolonged or repeated handling, use the following type of gloves: leather work gloves
- Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Cotton or cotton/synthetic overalls or coveralls are normally suitable.
- Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. No special measures are typically indicated.
- Respiratory protection** : A respirator is not needed under normal and intended conditions of product use. Use a properly fitted, particulate filter respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. Contact your personal protective equipment manufacturer to verify the compatibility of the equipment for the intended purpose. For U.S. work sites where respiratory protection is required, ensure that a respiratory protection program meeting 29 CFR 1910.134 requirements is in place.

## Section 9. Physical and chemical properties

### Appearance

- Physical state** : Granular solid.
- Color** : Grayish - Brown
- Odor** : Odorless.
- Odor threshold** : Not applicable.
- pH** : 6 [Conc. (% w/w): 10%]
- Melting point** : Not available.
- Boiling point** : Decomposes.
- Flash point** : [Product does not sustain combustion.]
- Evaporation rate** : Not applicable.
- Flammability (solid, gas)** : Not applicable. The substance will not burn. Undergoes thermal decomposition at elevated temperatures to release toxic and flammable gases.
- Lower and upper explosive (flammable) limits** : Not applicable.
- Vapor pressure** : Not applicable.
- Vapor density** : Not applicable.
- Relative density** : Not available.
- Solubility** : Easily soluble in the following materials: hot water.  
Soluble in the following materials: cold water.
- Solubility in water** : Water soluble.
- Partition coefficient: n-octanol/water** : Not available.
- Auto-ignition temperature** : Not applicable.
- Decomposition temperature** : Not available.
- Viscosity** : Not applicable.

### Aerosol product

## Section 10. Stability and reactivity

- Reactivity** : No specific test data related to reactivity available for this product or its ingredients.
- Chemical stability** : The product is stable.
- Possibility of hazardous reactions** : Under normal conditions of storage and use, hazardous reactions will not occur. Contains an oxidizing substance, risk of intensifying fire.
- Conditions to avoid** : Absorbs moisture on long-term storage under high humidity conditions. Store in a well-ventilated, dry place. Protect from moisture.

## Section 10. Stability and reactivity

**Incompatible materials** : Incompatible with halogens. Incompatible with copper alloys. Contact your sales representative or a metallurgical specialist to ensure compatibility with your equipment.

**Hazardous decomposition products** : Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## Section 11. Toxicological information

### Information on toxicological effects

#### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Potassium nitrate	LD50 Oral	Rat	3540 mg/kg	-
	LD50 Oral	Rat	3750 mg/kg	-
Ammonium dihydrogen orthophosphate	LD50 Oral	Rat - Male, Female	>2000 mg/kg	-
Potassium sulfate	LD50 Oral	Rat	6600 mg/kg	-
Potassium magnesium sulfate	LD50 Oral	Rat	3 g/kg	-
Ammonium sulfate	LD50 Oral	Mouse - Male, Female	3040 mg/kg	-
	LD50 Oral	Rat	2840 mg/kg	-
	LD50 Oral	Rat - Male, Female	>2000 mg/kg	-
Ammonium nitrate	LD50 Oral	Rat	2217 mg/kg	-
	LD50 Oral	Rat - Male, Female	2950 mg/kg	-
Manganese bis dihydrogen phosphate	LD50 Oral	Rat - Female	>2000 mg/kg	-
Zinc bis(dihydrogen phosphate)	LD50 Oral	Rat	1990 mg/kg	-
Manganese oxide	LD50 Oral	Rat - Female	>2000 mg/kg	-

**Conclusion/Summary** : Very low toxicity to humans or animals. No known significant effects or critical hazards.

#### Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Ammonium sulfate	Skin	Rabbit	0	20 hours	24 hours
	Eyes	Rabbit	0	-	72 hours
Ammonium nitrate	Skin	Rabbit	0	-	72 hours
	Eyes - Edema of the conjunctivae	Rabbit	3	-	3 days

#### Conclusion/Summary

**Skin** : No known significant effects or critical hazards. May cause irritation due to mechanical action.

**Eyes** : Causes serious eye irritation.

**Respiratory** : No known significant effects or critical hazards. No significant irritation expected other than possible mechanical irritation.

#### Sensitization

Product/ingredient name	Route of exposure	Species	Result
Ammonium sulfate	Skin	Guinea pig	Not sensitizing
Ammonium nitrate	Skin	Mouse	Not sensitizing

#### Conclusion/Summary

**Skin** : Non-sensitizer.

**Respiratory** : No known significant effects or critical hazards.

#### Mutagenicity

## Section 11. Toxicological information

Product/ingredient name	Test	Experiment	Result
Potassium nitrate	OECD 471 Bacterial Reverse Mutation Test	Experiment: In vitro Subject: Bacteria	Negative
	OECD 479 Genetic Toxicology: <i>In vitro</i> Sister Chromatid Exchange Assay in Mammalian Cells	Experiment: In vitro Subject: Mammalian-Animal	Negative
Ammonium sulfate	OECD 476	Experiment: In vitro Subject: Mammalian-Animal Cell: Somatic	Negative
	OECD 473	Experiment: In vitro Subject: Mammalian-Animal Cell: Germ	Negative
Ammonium nitrate	OECD 471 Bacterial Reverse Mutation Test	Experiment: In vitro Subject: Bacteria	Negative
	OECD 476 <i>In vitro</i> Mammalian Cell Gene Mutation Test	Experiment: In vitro Subject: Mammalian-Animal	Negative

**Conclusion/Summary** : No known significant effects or critical hazards.

### Carcinogenicity

Product/ingredient name	Result	Species	Dose	Exposure
Ammonium sulfate	Negative - Oral - TCLo	Rat - Male, Female	1288 mg/kg	2 years; 7 days per week

**Conclusion/Summary** : Potential for nitrosamine formation if ingested. Do not ingest.

### Classification

Product/ingredient name	OSHA	IARC	NTP
Ammonium sulfate	None.	-	-

### Reproductive toxicity

Product/ingredient name	Maternal toxicity	Fertility	Development toxin	Species	Dose	Exposure
Potassium nitrate	Negative	Negative	Negative	Rat - Male, Female	Oral: 1500 mg/kg	-
Ammonium sulfate	Negative	Negative	-	Mouse - Male, Female	Oral: 5000 mg/kg	-

**Conclusion/Summary** : No known significant effects or critical hazards.

### Teratogenicity

Product/ingredient name	Result	Species	Dose	Exposure
Ammonium sulfate	Negative - Oral	Rat - Male, Female	1500 mg/kg	-

**Conclusion/Summary** : No known significant effects or critical hazards.

### Specific target organ toxicity (single exposure)

Not available.

### Specific target organ toxicity (repeated exposure)

Not available.

### Aspiration hazard

Not available.

**Information on the likely routes of exposure** : Routes of entry anticipated: Inhalation.

### Potential acute health effects

**Eye contact** : Causes eye irritation.



## Section 11. Toxicological information

- Inhalation** : Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the nose, throat and lungs.
- Skin contact** : No known significant effects or critical hazards.
- Ingestion** : May be irritating to the digestive tract. May cause nausea, vomiting, diarrhea, and abdominal pain. May cause methemoglobinemia (a condition that interferes with the oxygen-carrying capacity of the blood) if ingested in large quantities or over a prolonged period of time. Persons with methemoglobinemia may have blue tinge color to lips, nails, and skin. Also they may have shortness of breath or trouble breathing. Persons more susceptible to methemoglobinemia include: very young (less than 3 months), the elderly, those with chronic obstructive pulmonary disease (COPD), anemia, coronary artery disease, recent surgery or infection, and those with a genetic deficiency of G-6-PD.

### Symptoms related to the physical, chemical and toxicological characteristics

- Eye contact** : Adverse symptoms may include the following:  
irritation  
watering  
redness
- Inhalation** : Adverse symptoms may include the following:  
respiratory tract irritation  
coughing
- Skin contact** : No specific data.
- Ingestion** : May cause irritation of the digestive tract with accompanying nausea, vomiting and diarrhea.

### Delayed and immediate effects and also chronic effects from short and long term exposure

#### Short term exposure

- Potential immediate effects** : May interfere with the oxygen carrying capacity of the blood if ingested in large quantities or over a prolonged period of time. Persons with anemia, bowel diseases, or infants, are more likely to develop effects. Over-exposure by ingestion is unlikely under normal working conditions.
- Potential delayed effects** :

#### Long term exposure

- Potential immediate effects** : Not available.
- Potential delayed effects** : See below.

#### Potential chronic health effects

Product/ingredient name	Result	Species	Dose	Exposure
Ammonium sulfate	Chronic NOAEL Oral	Rat - Male, Female	256 mg/kg	52 weeks; 7 days per week
Ammonium nitrate	Chronic NOAEL Oral	Rat - Male, Female	256 mg/kg	-

- Conclusion/Summary** : Chronic overexposure by ingestion may result in toxic effects.
- General** : Repeated or prolonged overexposure by ingestion can reduce the oxygen carrying capacity of the blood, producing anoxia in infants or individuals with preexisting bowel or blood diseases. Ensure that nitrate containing fertilizers are not applied near wells where contamination may occur. Consult your agronomist regarding the advisability and precautions for use of nitrate fertilizers on fruit or vegetable crops.
- Carcinogenicity** : Potential for nitrosamine formation if ingested. Do not ingest.
- Mutagenicity** : No known significant effects or critical hazards.
- Teratogenicity** : No known significant effects or critical hazards.
- Developmental effects** : No known significant effects or critical hazards.
- Fertility effects** : No known significant effects or critical hazards.

### Numerical measures of toxicity

#### Acute toxicity estimates

Not available.

## Section 12. Ecological information

### Toxicity

Product/ingredient name	Result	Species	Exposure
Potassium nitrate	Acute LC50 120 to 140 mg/l Marine water	Crustaceans - Portunus pelagicus - Juvenile (Fledgling, Hatchling, Weanling)	48 hours
	Acute LC50 490 mg/l Fresh water	Daphnia - Daphnia magna	48 hours
	Acute LC50 1200000 µg/l Fresh water	Fish - Lepomis macrochirus	96 hours
	Acute LC50 191000 µg/l Fresh water	Fish - Poecilia reticulata - Fry	96 hours
	Acute LC50 22500 µg/l Fresh water	Fish - Gambusia affinis - Adult	96 hours
Potassium sulfate	Acute LC50 720 to 880 mg/l Fresh water	Daphnia - Daphnia magna	48 hours
	Acute LC50 680 to 880 mg/l Fresh water	Fish - Pimephales promelas	96 hours
Ammonium sulfate	Acute LC50 2.6 mg/l Fresh water	Crustaceans - Ceriodaphnia dubia - Young	48 hours
	Acute LC50 14000 µg/l Fresh water	Daphnia - Daphnia magna - Young	48 hours
	Acute LC50 68 µg/l Fresh water	Fish - Oncorhynchus gorbuscha - Alevin	96 hours
	Acute LC50 53 mg/l	Fish - Oncorhynchus mykiss	96 hours
	Chronic NOEC 143 µg/l Marine water	Fish - Salmo salar - Post-smolt	5 weeks
Ammonium nitrate	Chronic NOEC 6 to 12 mg/l Fresh water	Crustaceans - Cladocera	21 days

**Conclusion/Summary** : May be harmful to the environment if released in large quantities. Excessive nutrient runoff to a body of water may result in eutrophication.

### Persistence and degradability

Not available.

### Bioaccumulative potential

Not available.

### Mobility in soil

**Soil/water partition coefficient (K<sub>oc</sub>)** : Not available.

**Mobility** : Not available.

**Other adverse effects** : No known significant effects or critical hazards.

## Section 13. Disposal considerations

**Disposal methods** : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste packaging should be recycled. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

## Section 14. Transport information

	DOT Classification	TDG Classification	Mexico Classification	ADR/RID	IMDG	IATA
<b>UN number</b>	Not regulated.	Not regulated.	Not regulated.	Not regulated.	Not regulated.	Not regulated.
<b>UN proper shipping name</b>	-	-	-	-	-	-
<b>Transport hazard class(es)</b>	-	-	-	-	-	-
<b>Packing group</b>	-	-	-	-	-	-

## Section 14. Transport information

<b>Environmental hazards</b>	No.	No.	No.	No.	No.	No.
<b>Additional information</b>	-	-	-	-	-	-

**Special precautions for user** : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

## Section 15. Regulatory information

**U.S. Federal Regulations:** : **TSCA 8(a) CDR Exempt/Partial exemption:** Not determined  
**TSCA 8(b) Active inventory:** All components are listed or exempted.

**Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs)** : Not listed

**Clean Air Act Section 602 Class I Substances** : Not listed

**Clean Air Act Section 602 Class II Substances** : Not listed

**DEA List I Chemicals (Precursor Chemicals)** : Not listed

**DEA List II Chemicals (Essential Chemicals)** : Not listed

**SARA 304 RQ** : Not applicable.

### SARA 311/312

**Classification** : Immediate (acute) health hazard

### Composition/information on ingredients

Name	%	Fire hazard	Sudden release of pressure	Reactive	Immediate (acute) health hazard	Delayed (chronic) health hazard.
Potassium nitrate	28	Yes.	No.	No.	No.	No.
Ammonium nitrate	2.5	No.	No.	No.	Yes.	No.

### SARA 313

	Product name	CAS number	%
<b>Form R - Reporting requirements</b>	Potassium nitrate	7757-79-1	28 - 29
	Ammonium dihydrogen orthophosphate	7722-76-1	20 - 28
	Ammonium sulfate	7783-20-2	0 - 5
	Ammonium nitrate	6484-52-2	2 - 3
<b>Supplier notification</b>	Potassium nitrate	7757-79-1	28 - 29
	Ammonium dihydrogen orthophosphate	7722-76-1	20 - 28
	Ammonium sulfate	7783-20-2	0 - 5
	Ammonium nitrate	6484-52-2	2 - 3

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

### State regulations

**Massachusetts** : The following components are listed: Potassium nitrate; Ammonium sulfate; Ammonium nitrate

**New York** : None of the components are listed.

**New Jersey** : The following components are listed: Potassium nitrate; Nitric acid, potassium salt; Ammonium nitrate; Nitric acid, ammonium salt; Manganese compounds, n.o.s.

**Pennsylvania** : The following components are listed: Nitric acid, potassium salt; Sulfuric acid diammonium salt; Manganese compounds; Nitric acid, ammonium salt

## Section 15. Regulatory information

### California Prop. 65

Not applicable – This product is not registered for sale into the State of California and has not been evaluated for Prop 65 notification requirements.

### International regulations

#### International lists

##### National inventory

**Canada** : All components are listed or exempted.

**Europe** : Not determined.

## Section 16. Other information

### History

**Date of issue/Date of revision** : 3/9/2022

**Date of previous issue** : 5/2/2019

**Version** : 1.2

**Key to abbreviations** : ATE = Acute Toxicity Estimate  
BCF = Bioconcentration Factor  
GHS = Globally Harmonized System of Classification and Labelling of Chemicals  
IATA = International Air Transport Association  
IBC = Intermediate Bulk Container  
IMDG = International Maritime Dangerous Goods  
LogPow = logarithm of the octanol/water partition coefficient  
MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)  
UN = United Nations

**References** : Transportation of Dangerous Goods Act and Clear Language Regulations, current edition at time of SDS preparation, Transport Canada;  
Hazardous Products Act and Regulations, current revision at time of SDS preparation, Health Canada;  
Domestic Substances List, current revision at time of SDS preparation, Environment Canada;  
29 CFR Part 1910, current revision at time of SDS preparation, U.S. Occupational Safety and Health Administration;  
40 CFR Parts 1-799, current revision at time of SDS preparation, U.S. Environmental Protection Agency;  
49 CFR Parts 1-199, current revision at time of SDS preparation, U.S. Department of Transport;  
Mexican Official Standard NOM-018-STPS-2015, Harmonised System for the Identification and Communication of Hazards and Risks by Hazardous Chemicals in the Workplace;  
NORMA Oficial Mexicana NOM-010-STPS-2014, Agentes químicos contaminantes del ambiente laboral-Reconocimiento, evaluación y control.  
Mexican Official Standard NOM-002-SCT / 2011, List of the most commonly transported hazardous substances and materials;  
Threshold Limit Values for Chemical Substances, current edition at time of SDS preparation, American Conference of Governmental Industrial Hygienists;  
NFPA 400, National Fire Codes, National Fire Protection Association, current edition at time of SDS preparation;  
NFPA 704, National Fire Codes, National Fire Protection Association, current edition at time of SDS preparation;  
Corrosion Data Survey, Sixth Edition, 1985, National Association of Corrosion Engineers;  
ERG 2016, Emergency Response Guidebook, U.S. Department of Transport, Transport Canada, and the Secretariat of Transportation and Communications of Mexico  
Hazardous Substances Data Bank, current revision at time of SDS preparation, National Library of Medicine, Bethesda, Maryland  
Integrated Risk Information System, current revision at time of SDS preparation, U.S. Environmental Protection Agency, Washington, D.C.  
Pocket Guide to Chemical Hazards, current revision at time of SDS preparation, National Institute for Occupational Safety and Health, Cincinnati, Ohio ;  
Agency for Toxic Substances and Disease Registry Databank, current revision at time of SDS preparation, U.S. Department of Health and Human Services, Atlanta, Georgia  
National Toxicology Program, Report on Carcinogens, Division of the National Institute

## Section 16. Other information

of Environmental Health Sciences, Research Triangle Park, North Carolina.  
Registry of Toxic Effects of Chemical Substances. National Institute for Occupational Safety and Health, Cincinnati, Ohio  
California Code of Regulations, Title 27, Div 4, Chapter 1, Proposition 65 Aug 30, 2018 rev and current updates

✔ Indicates information that has changed from previously issued version.

### [Notice to reader](#)

The information and recommendations contained in this Safety Data Sheet ("SDS") relate only to the specific material referred to herein (the "Material") and do not relate to the use of such Material in combination with any other material or process. The information and recommendations contained herein are believed to be current and correct as of the date of this SDS. **HOWEVER, THE INFORMATION AND RECOMMENDATIONS ARE PRESENTED WITHOUT WARRANTY, REPRESENTATION OR LICENSE OF ANY KIND, EXPRESS OR IMPLIED, WITH RESPECT TO THEIR ACCURACY, CORRECTNESS OR COMPLETENESS, AND THE SELLER, SUPPLIER AND MANUFACTURER OF THE MATERIAL AND THEIR RESPECTIVE AFFILIATES (COLLECTIVELY, THE "SUPPLIER") DISCLAIM ALL LIABILITY FOR RELIANCE ON SUCH INFORMATION AND RECOMMENDATIONS.** This SDS is not a guarantee of safety. A buyer or user of the Material (a "Recipient") is responsible for ensuring that it has all current information necessary to safely use the Material for its specific purpose. **FURTHERMORE, THE RECIPIENT ASSUMES ALL RISK IN CONNECTION WITH THE USE OF THE MATERIAL. THE RECIPIENT ASSUMES ALL RESPONSIBILITY FOR ENSURING THE MATERIAL IS USED IN A SAFE MANNER IN COMPLIANCE WITH APPLICABLE ENVIRONMENTAL, HEALTH, SAFETY AND SECURITY LAWS, POLICIES AND GUIDELINES. THE SUPPLIER DOES NOT WARRANT THE MERCHANTABILITY OF THE MATERIAL OR THE FITNESS OF THE MATERIAL FOR ANY PARTICULAR USE AND ASSUMES NO RESPONSIBILITY FOR INJURY OR DAMAGE CAUSED DIRECTLY OR INDIRECTLY BY OR RELATED TO THE USE OF THE MATERIAL.**