

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision date: 11/18/2024 Supersedes: 2/17/2022 Version: 2.1

## **SECTION 1: Identification**

1.1. Identification		
Product form Product name Product code	<ul> <li>Mixture</li> <li>Super Rainbow® Plant Food Tobacco 6-3-18</li> <li>1000001; 1000002; 1000208</li> </ul>	
1.2. Recommended use and restri	ctions on use	
Use of the substance/mixture Recommended use	: Fertilizer : Fertilizers	
1.3. Supplier		

Rainbow Fertilizer LLC, a division of TIMAC AGRO USA, Inc. 1011 Oak Avenue Americus, GA 31709, Georgia 31719 USA T 1-800-763-0334 www.rainbowplantfood.com

#### 1.4. Emergency telephone number

Country/Area	Organization/Company	Address	Emergency number	Comment
Americas	3E		+1-760-476-3962 (Access code : 333021)	(24/7)
USA	USA POISON CONTROL CENTER (24h/7d)		1-800-222-1222	

### SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

#### GHS US classification

Not classified

### 2.2. GHS Label elements, including precautionary statements

### GHS US labeling

No labeling applicable

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

No additional information available

## SECTION 3: Composition/Information on ingredients

### 3.1. Substances

Not applicable

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

3.2. Mixtures				
Name	Common Name (Synonyms)	Product identifier	%	GHS US classification
Potassium nitrate prill		CAS-No.: 7757-79-1	10 – 25	Not classified
Calcium sulphate, dihydrate		CAS-No.: 10101-41-4	10 – 25	Not classified
Calcium carbonate		CAS-No.: 1317-65-3	5 – 10	Not classified
Monoammonium phosphate		CAS-No.: 7722-76-1	5 – 10	Skin Irrit. 2, H315 Eye Irrit. 2B, H320
Ammonium nitrate		CAS-No.: 6484-52-2	1 – 5	Ox. Sol. 3, H272 Eye Irrit. 2, H319

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures	
4.1. Description of first aid measures	i de la constante de la constant
First-aid measures general	: Call a poison center/doctor/physician if you feel unwell.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Seek medical attention if ill effect develops.
First-aid measures after skin contact	: If case of redness or irritation, call a doctor. Wash skin with plenty of water. Take off contaminated clothing.
First-aid measures after eye contact	: Rinse immediately and thoroughly, pulling the eyelids well away from the eye (15 minutes minimum). Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.
First-aid measures after ingestion	: If swallowed, rinse mouth with water (only if the person is conscious). Do not induce vomiting without medical advice. Seek medical attention if ill effect develops.
4.2. Most important symptoms and e	ffects (acute and delayed)
Symptoms/effects	: see section(s) : 2.1/2.3).
Symptoms/effects after inhalation	<ul> <li>Dust of the product, if present, may cause respiratory irritation after an excessive inhalation exposure.</li> </ul>
Symptoms/effects after eye contact	: Causes serious eye damage.
4.3. Immediate medical attention and	special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures			
5.1. Suitable (and unsuitable) extinguishing	media		
Suitable extinguishing media Unsuitable extinguishing media	<ul> <li>water, carbon dioxide (CO2), powder and foam. Use extinguishing media appropriate for surrounding fire. Water spray. Dry powder. Foam.</li> <li>None known.</li> </ul>		
5.2. Specific hazards arising from the chemi	ical		
Fire hazard Explosion hazard Hazardous decomposition products in case of fire	<ul> <li>Not flammable. Non oxidizing material.</li> <li>No direct explosion hazard.</li> <li>Thermal decomposition generates : fume.</li> </ul>		

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

5.3. Special protective equipment and precautions for fire-fighters		
Precautionary measures fire	: Evacuate area. Eliminate all ignition sources if safe to do so.	
Firefighting instructions	: Contain the extinguishing fluids by bunding. Do not enter fire area without proper protective equipment, including respiratory protection.	
Protection during firefighting	<ul> <li>Do not attempt to take action without suitable protective equipment. Complete protective clothing. EN 469. Self-contained breathing apparatus.</li> </ul>	
Other information	: Relevant water authorities should be notified of any large spillage to water course or drain.	

SECTION 6: Accidental release measures		
6.1. Personal precautions, protective	equipment and emergency procedures	
General measures	: Evacuate area. Notify authorities if product enters sewers or public waters.	
6.1.1. For non-emergency personnel		
Protective equipment Emergency procedures	<ul> <li>Wear recommended personal protective equipment.</li> <li>Do not breathe dust. Mechanically ventilate the spillage area. Only qualified personnel equipped with suitable protective equipment may intervene.</li> </ul>	
6.1.2. For emergency responders		
Protective equipment Emergency procedures	<ul> <li>For further information refer to section 8: "Exposure controls/personal protection".</li> <li>Ventilate area. Dike and contain spill. Evacuate unnecessary personnel.</li> </ul>	
6.2. Environmental precautions		

## Avoid release to the environment.

6.3. Methods and material for containment and cleaning up		
For containment Methods for cleaning up	<ul> <li>Collect spillage.</li> <li>Mechanically recover the product. Minimize generation of dust. Gather the product and place it in</li> </ul>	
Other information	a spare container that has been suitably labeled. : Dispose of materials or solid residues at an authorized site.	
6.4. Reference to other sections		

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
Precautions for safe handling	: Ensure good ventilation of the work station. Do not breathe dust. Avoid contact with skin and eyes.	
Hygiene measures	: Handle in accordance with good industrial hygiene and safety practice. Always wash hands after handling the product. Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse.	
7.2. Conditions for safe storage, including	any incompatibilities	
Technical measures	: Comply with applicable regulations.	
Storage conditions	: Store in dry, cool, well-ventilated area. Protect from moisture. Keep out of reach of children.	
Incompatible products	: Refer to the detailed list of incompatible materials in section 10 Stability/Reactivity.	
Storage temperature	: Store at ambient temperature	
Information on mixed storage	: Keep away from food, drink and animal feeding stuffs.	
Special rules on packaging	: Keep only in original container. Store in a closed container.	
Packaging materials	: Store always product in container of same material as original container.	

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 8: Exposure controls/personal protection		
8.1. Control parameters		
Potassium nitrate prill (7757-79-1)		
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA	15 mg/m <sup>3</sup>	
Calcium carbonate (1317-65-3)		
USA - OSHA - Occupational Exposure Limits	3	
Local name	Calcium Carbonate (Limestone; Marble)	
OSHA PEL TWA	15 mg/m³ (Total dust) 5 mg/m³ (Respirable fraction)	
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1	
Ammonium nitrate (6484-52-2)		
USA - OSHA - Occupational Exposure Limits	3	
OSHA PEL TWA	25 ppm Ammonia	
OSHA PEL STEL	35 ppm Ammonia	
OSHA PEL (Ceiling)	25 ppm Ammonia	
USA - NIOSH - Occupational Exposure Limit	S	
NIOSH REL (TWA)	25 ppm Ammonia	
NIOSH REL (STEL)	35 ppm Ammonia	
NIOSH REL (Ceiling)	25 ppm Ammonia	
Calcium sulphate, dihydrate (10101-41-4)		
USA - ACGIH - Occupational Exposure Limits		
Local name	Calcium sulfate, the diihydrate	
ACGIH OEL TWA	10 mg/m <sup>3</sup> (I - Inhalable particulate matter)	
Remark (ACGIH)	TLV® Basis: Nasal symptoms	
Regulatory reference	ACGIH 2024	
USA - OSHA - Occupational Exposure Limits	\$ 	
Local name	Calcium sulfate	
OSHA PEL TWA	15 mg/m³ (Total dust) 5 mg/m³ (Respirable fraction)	
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1	
8.2. Appropriate engineering controls		
Appropriate engineering controls	: Ensure good ventilation of the work station. Local exhaust and general ventilation must be	
Environmental exposure controls	<ul><li>adequate to meet exposure standards.</li><li>Assure that emissions are compliant with all applicable air pollution control regulations. Comply with applicable regulations. Avoid release to the environment.</li></ul>	
8.3. Individual protection measures/Pers	sonal protective equipment	

#### 8.3. Individual protection measures/Personal protective equipment

#### Personal protective equipment:

Wear recommended personal protective equipment.

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Materials for protective clothing:		
Wear suitable protective clothing		
Hand protection:		
Protective gloves		
Eye protection:		
Safety glasses with side guards should be worn to preve	ent injury from airborne particles and/or other ey	e contact with this product. Safety glasses
Туре	Field of application	Characteristics
Safety goggles	Dust	With side shields
Skin and body protection:		
Protective clothing		
Туре		
Gloves		
Respiratory protection:		
Where excessive dust may result, wear approved mask		
Device	Filter type	Condition
Dust mask     Type P2     Dust protection		

Personal protective equipment symbol(s):



Other information:

See Heading 7 : 7.1. Precautions for safe handling.

SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and ch	emical properties	
Physical state	: Solid : Granulate.	
Appearance Color	: Gray Brown	
Odor	: Odorless	
Odor threshold	: No data available	
pH	: 6	
pH solution concentration	: 10 %	
Melting point	: No data available	
Freezing point	: Not applicable	
Boiling point Flash point	: No data available : Not applicable	
Relative evaporation rate (butyl acetate=1)	: No data available	
Flammability (solid, gas)	: In case of excessive dust production : Dust may form flammable and explosive mixture with air.	
Vapor pressure	: No data available	
Relative vapor density at 20°C	: No data available	
Relative density	: No data available	
Density	: 66 – 68 lb/ft <sup>3</sup>	
Solubility	: Soluble.	
Partition coefficient n-octanol/water (Log Pow)	: No data available	

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Auto-ignition temperature	: Not applicable
Decomposition temperature	No data available
Viscosity, kinematic	: Not applicable
Viscosity, dynamic	: No data available
Explosion limits	: Not applicable
Explosive properties	: Product is not explosive.
Oxidizing properties	: Non oxidizing material.

### 9.2. Other information

No additional information available

### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

**10.2. Chemical stability** 

Stable under use and storage conditions as recommended in section 7.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

**10.4. Conditions to avoid** 

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

Strong oxidizing agents.

**10.6. Hazardous decomposition products** 

Under normal conditions of storage and use, hazardous decomposition products should not be produced. In case of fire: See Heading 5.

SECTION 11: Toxicological information			
11.1. Information on toxicological effects			
Acute toxicity (dermal):Acute toxicity (inhalation):	Not classified (Based on available data, the classification criteria are not met) Not classified (Based on available data, the classification criteria are not met) Not classified (Based on available data, the classification criteria are not met) No experimental study on the product is available. The information given is based on our knowledge of the components and the classification of the product is determined by calculation		
Monoammonium phosphate (7722-76-1)	Monoammonium phosphate (7722-76-1)		
LD50 oral rat	> 2000 mg/kg (OECD 425 method)		
LD50 dermal rat	> 5000 mg/kg (OECD 402 method)		
LC50 Inhalation - Rat	> 5 mg/l (OECD Guideline 403 with diammonium hydrogenorthophosphate; EPA with calcium bis(dihydrogenorthophosphate))		
Potassium nitrate prill (7757-79-1)			
LD50 oral rat	> 2000 mg/kg (OECD 425 method)		
LD50 dermal rat	> 5000 mg/kg body weight (OECD 402 method)		

## Safety Data Sheet

Potassium nitrate prill (7757-79-1)	
LC50 Inhalation - Rat	> 527 mg/m³ (OECD 403 method)
Ammonium nitrate (6484-52-2)	
LD50 oral rat	2950 mg/kg (OECD 401 method)
LD50 dermal rat	> 5000 mg/kg (OECD 402 method)
LC50 Inhalation - Rat	> 88.8 mg/m³
Calcium sulphate, dihydrate (10101-41-4)	
LD50 oral rat	> 1581 mg/kg body weight (OECD 420 method)
LC50 Inhalation - Rat	> 2.61 mg/l (OECD 403 method)
Skin corrosion/irritation :	Not classified pH: 6
Monoammonium phosphate (7722-76-1)	
рН	3 – 5
Ammonium nitrate (6484-52-2)	
рН	4.6 – 7.6 95 g/l
Serious eye damage/irritation :	Not classified pH: 6
Monoammonium phosphate (7722-76-1)	
рН	3 – 5
Ammonium nitrate (6484-52-2)	
pH	4.6 – 7.6 95 g/l
Respiratory or skin sensitization :	Not classified (Based on available data, the classification criteria are not met)
Germ cell mutagenicity :	Not classified (Based on available data, the classification criteria are not met)
	Not classified (Based on available data, the classification criteria are not met)
Potassium nitrate prill (7757-79-1)	
NOAEL (chronic,oral,animal/male,2 years)	≥ 1500 mg/kg body weight (OECD 422 method)
	Not classified (Based on available data, the classification criteria are not met) Not classified
	Not classified (Based on available data, the classification criteria are not met)
Potassium nitrate prill (7757-79-1)	
NOAEL (subacute,oral,animal/male,28 days)	> 1500 mg/kg body weight
Ammonium nitrate (6484-52-2)	
NOAEL (subacute,oral,animal/male,28 days)	≥ 1500 mg/kg body weight rat - (OECD 422 method)
Aspiration hazard : Viscosity, kinematic :	Not classified (Based on available data, the classification criteria are not met) Not applicable
Monoammonium phosphate (7722-76-1)	
Viscosity, kinematic	Not applicable
Symptoms/effects after inhalation	see section(s) : 2.1/2.3). Dust of the product, if present, may cause respiratory irritation after an excessive inhalation exposure. Causes serious eye damage.

## Safety Data Sheet

SECTION 12: Ecological information			
12.1. Toxicity			
	The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment. Do not allow large quantities, as are, to spread into the environment. Do not discharge into drains or rivers.		
Monoammonium phosphate (7722-76-1)			
LC50 - Other aquatic organisms [1]	> 1700 mg/l Single Superphosphate		
EC50 - Other aquatic organisms [1]	> 100 mg/l (OECD 201 method) Similar substances		
Potassium nitrate prill (7757-79-1)			
LC50 - Fish [1]	1378 mg/l Poecilia reticula, (OECD 203 method)		
LC50 - Other aquatic organisms [1]	490 mg/l (Daphnia magna, 48h)		
EC50 - Crustacea [1]	490 mg/l		
EC50 72h - Algae [1]	1700 mg/l 10 days - (OECD 203 method)		
ErC50 algae	> 1700 mg/l (OECD 209 method)		
Ammonium nitrate (6484-52-2)			
LC50 - Fish [1]	447 mg/l Cyprinus carpio (Common carp), 48 Hours		
EC50 - Crustacea [1]	490 mg/l 48 Hours, (Results obtained on a similar product)		
ErC50 algae	> 1700 mg/l 10 days, (Results obtained on a similar product)		
NOEC chronic crustacea	555 mg/l 168 Hours, Bullia Digitalis		
Calcium sulphate, dihydrate (10101-41-4)			
LC50 - Fish [1]	> 1970 mg/l Pimephales promelas		
EC50 - Crustacea [1]	> 79 mg/l daphnia, (OECD 202 method)		
ErC50 algae	> 79 mg/l Selenastrum capricornutum, (OECD 201 method)		
12.2. Persistence and degradability			
Super Rainbow® Plant Food Tobacco 6-3-18			
Persistence and degradability	Not established.		
Monoammonium phosphate (7722-76-1)			
Persistence and degradability	Not established.		
Potassium nitrate prill (7757-79-1)			
Persistence and degradability	degradable in water in anaerobic conditions.		
Calcium carbonate (1317-65-3)			
Persistence and degradability	Not established.		
Ammonium nitrate (6484-52-2)			
Persistence and degradability	Not applicable (inorganic substance).		
Calcium sulphate, dihydrate (10101-41-4)	Calcium sulphate, dihydrate (10101-41-4)		
Persistence and degradability	Not established.		
L	1		

## Safety Data Sheet

12.3. Bioaccumulative potential		
Super Rainbow® Plant Food Tobacco 6-3-18		
Bioaccumulative potential	Not established.	
Monoammonium phosphate (7722-76-1)		
Partition coefficient n-octanol/water (Log Pow)	Not applicable	
Partition coefficient n-octanol/water (Log Kow)	Not applicable	
Bioaccumulative potential	Low bioaccumulation potential. Data sources : Safety Data Sheet Supplier.	
Potassium nitrate prill (7757-79-1)		
Partition coefficient n-octanol/water (Log Pow)	Not applicable	
Partition coefficient n-octanol/water (Log Kow)	Not applicable	
Bioaccumulative potential	Low bioaccumulation potential.	
Calcium carbonate (1317-65-3)		
Bioaccumulative potential	Not established.	
Ammonium nitrate (6484-52-2)		
Bioaccumulative potential	Slightly or not bioaccumulative.	
Calcium sulphate, dihydrate (10101-41-4)		
Bioaccumulative potential	Bioaccumulation unlikely.	
12.4. Mobility in soil		
Monoammonium phosphate (7722-76-1)		
Ecology - soil	Not applicable. Safety Data Sheet Supplier.	
Potassium nitrate prill (7757-79-1)		
Ecology - soil	Small adsorption. Material highly soluble in water.	
Calcium sulphate, dihydrate (10101-41-4)		
Ecology - soil	Small adsorption.	
12.5. Other adverse effects		
	May cause eutrophication at very low concentration.	
Other information :	No other effects known.	

SECTION 13: Disposal considerations			
13.1. Disposal methods			
Regional waste regulation Waste treatment methods	<ul> <li>Disposal must be done according to official regulations.</li> <li>Dispose of contents/container in accordance with licensed collector's sorting instructions.</li> </ul>		
Sewage disposal recommendations	: Disposal must be done according to official regulations.		
Product/Packaging disposal recommendations	: Discharging into rivers and drains is forbidden. Disposal must be done according to official regulations.		
Additional information	: Do not re-use empty containers.		

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 14: Transport information	
In accordance with DOT / TMD / IMDG / IATA	
14.1. UN number	
Not regulated for transport	
14.2. UN proper shipping name	
Proper Shipping Name (DOT) Proper Shipping Name (TDG) Proper Shipping Name (IMDG) Proper Shipping Name (IATA)	<ul> <li>Not regulated</li> <li>Not regulated</li> <li>Not regulated</li> <li>Not regulated</li> </ul>
14.3. Transport hazard class(es)	
DOT Transport hazard class(es) (DOT)	: Not regulated
<b>TDG</b> Transport hazard class(es) (TDG)	: Not regulated
IMDG Transport hazard class(es) (IMDG)	: Not regulated
IATA Transport hazard class(es) (IATA)	: Not regulated
14.4. Packing group	
Packing group (DOT) Packing group (TDG) Packing group (IMDG) Packing group (IATA)	<ul> <li>Not regulated</li> <li>Not regulated</li> <li>Not regulated</li> <li>Not regulated</li> </ul>
14.5. Environmental hazards	
Other information	: No supplementary information available.
14.6. Special precautions for user	
DOT Not regulated	
TDG Not regulated	
IMDG Not regulated	
IATA Not regulated	
14.7. Transport in bulk according to Annex I	I of MARPOL 73/78 and the IBC Code
Not applicable	
SECTION 15: Regulatory information	

## 15.1. US Federal regulations

Commercial status of components according to the United States Environmental Protection Agency's Toxic Substances Control Act (TSCA):

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	CAS-No.	Listing	Commercial status	Flags
Monoammonium phosphate	7722-76-1	Present	Active	
Potassium nitrate prill	7757-79-1	Present	Active	
Calcium carbonate	1317-65-3	Present	Active	
Ammonium nitrate	6484-52-2	Present	Active	
Calcium sulphate, dihydrate	10101-41-4	Present	Active	

#### 15.2. International regulations

#### CANADA

Monoammonium phosphate (7722-76-1)

Listed on the Canadian DSL (Domestic Substances List)

#### Potassium nitrate prill (7757-79-1)

Listed on the Canadian DSL (Domestic Substances List)

### Calcium carbonate (1317-65-3)

Listed on the Canadian NDSL (Non-Domestic Substances List)

### Ammonium nitrate (6484-52-2)

Listed on the Canadian DSL (Domestic Substances List)

#### Calcium sulphate, dihydrate (10101-41-4)

Listed on the Canadian DSL (Domestic Substances List)

#### **EU-Regulations**

No additional information available

#### National regulations

Super Rainbow® Plant Food Tobacco 6-3-18

Ensure all national/local regulations are observed

#### Potassium nitrate prill (7757-79-1)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

### Calcium carbonate (1317-65-3)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

15.3. US State regulations

No additional information available

### **SECTION 16: Other information**

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date	: 11/18/2024
Data sources	: Section 1.2, 8.1, 11 & 12 are based on components' Chemical Safety Report and/or datas from
	components' supplie.
Training advice	: Normal use of this product shall imply use in accordance with the instructions on the packaging.

Full text of hazard classes and H-statements	
H272	May intensify fire; oxidizer
H315	Causes skin irritation
H319	Causes serious eye irritation
H320	Causes eye irritation

Abbreviations and acronyms		
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
LC50	Median lethal concentration	
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC50	Median effective concentration	
SDS	Safety Data Sheet	
ΙΑΤΑ	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
PBT	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006	
STP	Sewage treatment plant	
vPvB	Very Persistent and Very Bioaccumulative	

NFPA health hazard	: 0 - Materials that, under emergency conditions, would offer no hazard beyond that of ordinary combustible materials.
NFPA fire hazard	<ul> <li>O - Materials that will not burn under typical fire conditions, including intrinsically noncombustible materials such as concrete, stone, and sand.</li> </ul>
NFPA reactivity	<ul> <li>: 0 - Material that in themselves are normally stable, even under fire conditions.</li> </ul>
Hazard Rating Health	: 0 Minimal Hazard - No significant risk to health

0

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Flammability	: 0 Minimal Hazard - Materials that will not burn
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT
	react with water, polymerize, decompose, condense, or self-react. Non-Explosives.
Personal protection	: E - Safety glasses, Gloves, Dust respirator

Safety Data Sheet (SDS), USA

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.